


Garlock PACKING TOOLS

"The Right Tool for the Job"



THE Garlock



A complete integrated line of U.S. made tools designed to handle your packing maintenance with ease. The unique interchangeability of tips with flex or rigid holders allows a versatility not available elsewhere. Worn or damaged tips may be replaced at minimum cost rather than sacrificing the entire tool.

Plated for corrosion protection, these tools meet or exceed Government Specifications. Removable tips include: C-1,2&3 Corkscrews for most packing, W-1,2&3 Woodscrews for hardened packing, B-1&2 Brush Sets (two sizes each set) for cleaning the stuffing box, OP-1&2 Oakum Pullers, and LG-1&2 Lantern Gland Thread Adapter Sets (three thread sizes per set). Also included into the line are Solid shaft Picks P-7,8&9 to remove packing that breaks up easily, stainless steel Vernier Calipers to accurately determine packing requirements, an O-Ring Extractor constructed with the proper curve and offset to make a sometimes difficult job easy—without risk to equipment, and a Packing Knife w/sheath.



A keen edged stainless blade mounted in a wooden handle for a good grip, makes a fine addition to any tool box.



SYSTEM

GUILLOTINE PACKING CUTTER

Easily cuts all packing including KEVLAR† fiber, copper sheathed, and wire core packing to 1" dia. at 45° or butt angles. 4" max. shaft size direct-reading diameter/circumference scales eliminate expensive time and material waste from costly trial-and-error fitting. Complete with mounting screws, wrenches, stop blocks for 45° and butt cutting, and a vernier caliper for accurate shaft and stuffing box measurement. Heat-treated spare tool steel blades are available.



No.	Length	Shaft	Tip	Thread	Packing	Set Components		
						"A"	"B"	"DELUXE"
F-1	7 1/2"	FLEXIBLE	REMOVABLE	8-32	5/16" up	2	2	2
F-2	11"			10-32	3/8" up	2	2	2
F-3	14 1/2"			1/2" up	—	2	2	—
F-4	19"		PERMANENT	—	5/8" up	—	—	—
F-5	23"			3/4" up	—	—	—	—
F-6	30"			1" up	—	—	—	—
S-1	6"	SOLID	REMOVABLE	8-32	1/4" up	—	—	2
S-2	10"			10-32	3/8" up	—	—	2
S-3	14"			1/2" up	—	—	2	—
S-4	18"		PERMANENT	—	5/8" up	—	—	—
S-5	24"			3/4" up	—	—	—	—
P-7	10"			1/8" up	1	1	1	—
P-8			PICKS	3/16" up	1	1	1	—
P-9				5/16" up	1	1	1	—
OR	6"		O-RING	—	—	—	—	2

TIPS

Fits Holder

C-1	CORKSCREW				F&S-1	1	1	1
C-2					F&S, 2&3	1	1	1
C-3					—	1	1	
W-1	WOODSCREW				"	—	1	1
W-2					"	—	1	1
W-3					"	—	1	1
B-1	BRUSH SET (Two sizes per set)				"	—	—	1
B-2					"	—	—	1
LG-1	LANTERN GLAND THREAD ADAPTER		8-32; 10-32; 10-24		"	—	—	1
LG-2			1/4-20; 1/4-28; 5/16-18		"	—	—	1
OP-1	OAKUM PULLER				"	—	—	—
OP-2					"	—	—	—
WRENCH						1	1	1
PACKING CUTTING KNIFE W/LEATHER SHEATH						—	—	1
RUSTPROOF TOOL BOX						1	1	1

GASKET CUTTER SETS

For accurate scribing of circular diameters from 1"-22". Easily cuts gaskets from non-metallic materials and soft metals. Complete with wrench, spare blade and center point.

GC-12

GC-36

Heavier Duty for diameters 2"-70". Utilizes double rails for rigidity needed in cutting larger diameters. Complete with wrench, spare blade and center point.

Garlock TOOL SETS

Packaged in handy tool boxes, these sets are assembled in three different levels to suit a wide variety of applications—the "Deluxe" set being the most complete in the industry. Refer to chart on page 3 for contents listing.




"A"

"B"

GASKET PUNCH SET

Effortlessly cuts concentric gaskets and washers from non-metallic materials and soft metals. Set consists of 14 hardened chrome-nickel steel punches $\frac{3}{16}$ "-1" by $\frac{1}{16}$ ths, centering pin, and two cutting surfaces to protect your bench. Packaged in rust-proof tool box.

AUTHORIZED DEALER



While the utmost care has been used in compiling this flyer, we assume no responsibility for errors. Specifications subject to change without notice. This edition cancels all other previous issues. Subject to change without notice.

GOODRICH
PRINTED IN U.S.A.

Garlock Sealing Technologies
1666 Division Street
Palmyra, New York 14522 USA

1-315-597-4811/1-800-448-6688
Fax: 1-800-543-0598/1-315-597-3216
www.garlock.net

Garlock
Sealing Technologies®
GPS-8/01